

## Nova Color Artists' Acrylic Paints – Regular Colors (See list Section 16)

**Section 1****Chemical Product and Company Identification**

Product Name: Nova Color Artists' Acrylic Paints – Regular Colors (See list Section 16)  
 Product Code: Not applicable Chemical Family: Not applicable  
 Chemical Name: Not applicable Formula: Not applicable  
 Manufacturer:

**Artex Mfg Co. dba Nova Color Artists' Acrylic Paint**

**5894 Blackwelder Street, Culver City, CA 90232 Telephone 310 204-6900 Fax 310 838-2094**

**Section 2****Composition, Information on Ingredients**

Ingredient Listing:	CAS No.:	OSHA PEL:	ACGIH TLV:	STEL:	% COMP:
Proprietary	N/L	N/L	N/L	N/L	100

The ingredients in this product are judged to be non-hazardous and are regarded as trade secrets.

**Section 3****Hazards Identification**

Emergency Overview: Non-hazardous material.  
 Physical Description: Water-based acrylic paints.  
 Major Health Hazards: None known for usual and ordinary uses.  
 Physical Hazards: None known for usual and ordinary uses.  
 Routes of Entry: Inhalation: No Skin: No Eye: No Ingestion: No  
 Potential Health Effects: None known for usual and ordinary uses.  
 Inhalation: Short Term Exposure: Not applicable  
 Long Term Exposure: Not applicable  
 Skin Contact: Short Term Exposure: Not applicable  
 Long Term Exposure: Not applicable  
 Eye Contact: Short Term Exposure: Not applicable  
 Long Term Exposure: Not applicable  
 Ingestion: Short Term Exposure: Not applicable  
 Long Term Exposure: Not applicable  
 Carcinogen Status: NTP: Not listed IARC: Not listed OSHA: Not listed  
 Medical Conditions Aggravated by Exposure: None known.

**Section 4****First Aid Measures**

Eyes: For eye contact, carefully flush for 15 minutes. If irritation occurs, contact a physician.  
 Skin: Wash with soap and water.  
 Inhalation: Not likely to occur; seek fresh air.  
 Ingestion: Drink water or milk to dilute. Do not induce vomiting.

**Section 5****Fire Fighting Measures**

Flash Point: None.  
 Fire and Explosion Hazards: Sealed containers may rupture; paint films may burn. This product presents no unusual hazard.  
 Extinguishing Media: Water, foam, carbon dioxide or dry chemicals.  
 Special Fire Fighting Procedures: Not required for this material.

**Section 6****Accidental Release Measures**

Spill or Leak Procedures: Contain spill. Recover as much as possible by mechanical means. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

**Section 7****Handling and Storage**

Storage Temperature: Store at 70 deg. F. (Min: 50 deg. F; Max: 100 deg. F)  
 Shelf Life: Not known. Special Sensitivity: None likely or known.  
 Handling and Storage: Use under ventilated conditions. For personal protection, wash thoroughly after handling product. Wash hands before eating, smoking or using toilet facilities.

## Nova Color Artists' Acrylic Paints – Regular Colors (See list Section 16)

Precautions: Avoid eye and skin contact. Keep container closed when not being used.

**Section 8**

Exposure Limits:

Eye Protection:

Skin Protection:

Respiratory and Ventilation:

**Exposure Controls, Personal Protection**

None known.

Wear splash goggles where spill or splashing may occur.

Not required.

Wear approved NIOSH respirator if exposure to mist or vapors exceeds applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA regulations.

**Section 9**

Physical Form:

Odor:

Melting Point:

PH:

Specific Gravity:

% Volatile by Weight:

Vapor Density:

**Physical and Chemical Properties**

Viscous liquid

Color:

Various colors

Acrylic

Boiling Point:

212 deg. F

Not applicable

Freezing Point:

32 deg. F

Not applicable

Solubility in Water:

Miscible

1.09 - 1.50

Bulk Density:

Not applicable

Not applicable

Vapor Pressure:

Equivalent to water

Equivalent to water

**Section 10**

Stability:

Incompatibilities:

Conditions to Avoid:

**Stability and Reactivity**

Stable.

Polymerization:

No.

Avoid strong oxidizing agents.

Decomposition Products:

None known.

Not applicable.

**Section 11**

Health Effects:

Inhalation:

Skin Contact:

Eye Contact:

Ingestion:

**Toxicological Information**

Heated decomposition products may cause eye and respiratory irritation.

Not likely.

Prolonged liquid contact with skin may cause irritation or redness.

Prolonged liquid contact with eyes may cause irritation or redness.

No effects known in usual and ordinary uses of product.

**Section 12****Ecological Information**

No ecological issues likely.

**Section 13**

Waste Disposal Method:

**Disposal Considerations**

Dispose of all waste materials in accordance with all applicable federal, state and local regulations for the disposal of aqueous wastes. Do not flush liquid into public sewer or water systems.

**Section 14**

D.O.T. Shipping Name:

Technical Shipping Name:

D.O.T. Hazard Class:

U.N./N.A. Number:

Product RQ (Lbs.):

D.O.T. label:

D.O.T. Placard:

Paints or stains 149980 Sub. 2

Not known

Non-hazardous

None

None

Freight Class Bulk:

55

None

Freight Class Package:

Not known

None

Product Label:

Not known

**Section 15**

OSHA Status:

TSCA Status:

CERCLA Reportable Quantity:

SARA Title III:

Section 302 Extremely Hazardous Substances:

Section 311/312 Hazard Categories:

Section 313 Toxic Chemicals:

**Regulatory Information**

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

**Nova Color Artists' Acrylic Paints – Regular Colors (See list Section 16)**

RCRA Status: Not applicable  
State Regulatory Information: Not applicable  
Component Name  
& CAS Number: Not applicable Concentration: Not applicable State Code: Not applicable  
FHSA Status: Conforms to FHSA  
16 CFR 1500.14 ASTM D-4236 Status: Conforms to ASTM D-4236

**Section 16****Other Information**

Reason for issue: Addition of 5 new colors  
Prepared by: Environmental Medicine Incorporated  
Approved by: Rudolph J Jaeger, PhD, DABT, REA  
Title: President and Principal Scientist  
Approval dates: 11/30/09  
Supersedes date: 12/31/04

MSDS Summary of Changes: Additions of new colors 11/30/09

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Artex Manufacturing Co. The data on this sheet are related only to the specific material designated herein. Artex Manufacturing Co. assumes no legal responsibility for use or reliance upon these data.

**List of colors with product numbers included in this group:**

100 Burnt Sienna	101 Burnt Umber	103 Carbazole Dioxazine Violet
105 Cobalt Blue	106 Indian Yellow	107 Hansa Yellow Light
108 Iron Oxide/Mars Black	109 Carbon Black	110 Organic Orange
111 Hooker's Green	112 Naphthol Red Light	113 Permanent Carmine
114 Alizarin Crimson Hue	115 Phthalo Blue	115D Phthalo Blue Deep
116 Phthalo Green	117D Raw Umber Dark	118 Titanium White
119 Venetian/Iron Oxide Red	120 Yellow Green	121 Yellow Ochre/Iron Oxide
122 Ultramarine Blue	126 Quinacridone Purple	127 Cerulean Blue Hue
128 Raw Sienna	129 Quinacridone Red	130 Nacreous White
131 Nacreous Gold	133 Bismuth Yellow	134 Raw Titanium Matte
135 Phthalo Turquoise	136 Hot Pink	137 Silver
138 Gold	139 Super Pearl White	140 Payne's Gray
141 Mars/Iron Oxide Violet	142 Blue Green	143 Permanent Green Light
144 Azo Yellow Medium	147 Quinacridone Magenta	148 Super Pearl Gold
149 Transparent Red Iron Oxide	150 Portrait Tone	151 Royal Gold
152 Stainless Steel	153 Iridescent Pearl Red	154 Red Copper
155 Golden Bronze	156 Antique Silver	157 Sapphire
158 Antique Copper	159 Antique Gold	160 Yellow Gold
161 Emerald	162 Ruby	163 Green Pearl
164 Yellow Pearl	165 Blue Pearl	166 Sparkling Pearl
167 Orange Pearl	169 Lilac Pearl	170 Mica Flake Varnish
171 Naphthol Crimson	172 Black Pearl	173 Brass Pearl
174 Neutral Gray	175 Trans. Yellow Iron Oxide	176 Indanthrone Blue
177 Phthalo Green Y.S.	178 Arylide Yellow (PY194)	180 Iridescent Pearl Base
181 Quinacridone Violet	182 Medium Green	183 Bone/Ivory Black
186 Medium Violet	187 Pyrolle Red	